



Revision date: 06.13.2022
Date of issue: 10.03.2017

Page: 1/11

Product name: Manganese Sulfate 32 Granular

SECTION 1: Identification

Product identifier used on the label:

Product Name: Manganese Sulfate 32 Granular

Other means of identification:

Synonyms: Manganese sulfate monohydrate
Product Code Number: 2MNSO20ULB50, 2MNSO22ULB50, 2MNSO22ULB55,
2MNSO22ULB50, 2MNSO22ULT00
SDS number: CCMNSOUS

Recommended use of the chemical and restrictions on use:

Recommended use: Fertilizer Micronutrient Additive.
Recommended restrictions: Not intended for human consumption.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party:

Company Name: Cameron Chemicals, Inc.
Company Address: 830 Old Dill Road,
Suffolk, VA 23434
Company Telephone: (757) 934-2142
8.00am to 5.00pm
Company Contact Name: Mark Whitfield
Company Contact Email: mwhitfield@cameronchemicals.com
Emergency phone number: Chemtrec USA: 800-424-9300 (24hrs)

SECTION 2: Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

Physical hazards

No physical hazards under GHS.

Health hazards

Serious eye damage/eye irritation (Category 1)
Specific target organ toxicity - repeated exposure (Category 2)

Environmental hazards

Hazardous to the aquatic environment, long-term hazard (Category 2)

GHS Signal word: DANGER.

GHS Hazard statement(s): H315 - Causes skin irritation
H318 - Causes serious eye damage
H373 - May cause damage to organs <Central Nervous System>
through prolonged or repeated exposure <<by inhalation>>
H411 - Toxic to aquatic life with long lasting effects.

GHS Hazard symbol(s):



GHS Precautionary statement(s):

Prevention:

- Do not breathe dust/fume/gas/mist/ vapors/spray.
- Wash skin thoroughly after handling.
- Use only outdoors or in a well-ventilated area.
- Wear protective gloves/protective clothing/eye protection/face protection
- Store in a well-ventilated place. Keep container tightly closed.

Response:

- If on skin: Wash with plenty of water.
- If inhaled: Remove person to fresh air and keep comfortable for breathing.
- If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Immediately call a poison center/doctor.
- Specific treatment (see sections 4 to 8 on this SDS and any additional information on this label)
- If skin irritation occurs: Get medical advice/attention.
- Take off contaminated clothing and wash it before reuse.

Storage:

- Store locked up.

Disposal:

- Dispose of contents/containers to an approved disposal site in accordance with local/regional/national/international regulations.

**Hazard(s) not otherwise
Classified (HNOC):** None known.

Percentage of ingredient(s) of unknown acute toxicity:
41% of the mixture consists of ingredients of unknown acute toxicity (oral/dermal/inhalation).

SECTION 3: Composition/information on ingredients

Mono-constituent.

Chemical name	CAS#	Concentration (weight %)
Manganese sulfate monohydrate	10034-96-5	>=95

SECTION 4: First-aid Measures

Description of necessary measures:

General Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice(show the label where possible).

Skin contact: Remove affected clothing and immediately wash all exposed skin area with mild soap and water, followed by warm water rinse.

Inhalation: Remove victim to fresh air. Clean nasal cavity with water. Seek medical attention if discomfort or irritation persists.

Eye contact: Rinse eyes cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists get medical advice/attention

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

Most important symptoms/effects, acute and delayed:

Eye and skin irritation may occur. Prolonged dermal exposure may cause skin irritation. Ingestion may cause stomach upset. Occasional mild irritation effects to the nose and throat may occur from inhalation. The pulmonary effects consisting of dyspnea, shallow respiration and fever which mimic metal fume fever. This product contains Manganese. Chronic exposure to heavy concentrations of manganese containing dust can cause central nervous system disorders.

Central Nervous System: Symptoms may appear after 1-2 years of elevated exposure. Stage 1 - subclinical, reversible. Indifference irritability, headache, anorexia, sleep disturbances, decreased libido, arthralgia, muscular spasm, diminished fine motor coordination, emotional and behavioral disorders called "manganic psychosis" are more frequently seen among miners at this stage. Higher incidence of respiratory infection and pneumonia is seen persons with a history of alcoholism, psychiatric, neurologic, or pulmonary diseases, liver dysfunction, or anemia.

Indication of immediate medical attention and special treatment needed, if necessary: If any symptoms are observed, contact a physician and give them this SDS sheet. Treat symptomatically.

SECTION 5: Fire-fighting measures

Suitable extinguishing media: Product is not combustible. Use Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media: None known.

Specific hazards arising from the chemical:

Reacts with oxidizers such as H_2O_2 , F_2 , $Ca(OCL)_2$ and organic peroxides.

Special protective equipment and precautions for fire-fighters: Wear self-contained breathing apparatus and protective clothing. In addition, wear other appropriate protective equipment as conditions warrant (see Section 8).

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures: Ensure adequate ventilation. Evacuate personnel to safe areas. Wear appropriate protective equipment, including respiratory protection, as conditions warrant (see Section 8). See Sections 2 and 7 for additional information on hazards and precautionary measures.

Methods and materials for containment and cleaning up:

Small Spills: Sweep up and try to keep dust to a minimum.

Large Spills: Sweep up and try to keep dust to a minimum.

Containment: Do not release into sewers or waterways.

See Section 13 for information on appropriate disposal.

SECTION 7: Handling and Storage

Precautions for safe handling: Use proper safety equipment at all times. Use good personal hygiene practices and wear appropriate personal protective equipment (see section 8). Wash hands before breaks and at the end of work. Clothing being used around chemicals should be cleaned daily.

Conditions for safe storage, including any incompatibles:

Store materials in a cool dry place away from strong oxidizers. Store only in the original container. Keep container tightly closed.

SECTION 8: Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Substance	PEL-TWA (8 hour)	PEL-STEL (15 min)
Manganese sulfate monohydrate	5 mg/m ³ (ceiling)	None known

US ACGIH Threshold Limit Values			
Substance	TLV-TWA	TLV-STEL	REMARKS
Manganese sulfate monohydrate	0.2 mg/m ³	None known	Central Nervous System impairment

US NIOSH NIOSH Recommended Exposure Limits		
Substance	TLV-TWA	TLV-STEL
Manganese sulfate monohydrate	1 mg/m ³	3 mg/m ³

Appropriate engineering controls: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs. Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

Individual protection measures, such as personal protective equipment:

Eye/face protection: Wear protective eyeglasses or chemical safety goggles, per OSHA eye- and face-protection regulations (29 CFR 1910.133). Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

Skin and Hand protection: Wear protective gloves, boots, and aprons to prevent prolonged or repeated skin contact. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Respiratory protection: Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. If respirators are used, OSHA requires a written respiratory protection program that includes at least: medical certification, training, fit-testing, periodic environmental monitoring, maintenance, inspection, cleaning, and convenient, sanitary storage areas.

Other:

Safety Stations: Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Contaminated Equipment: Separate contaminated work clothes from street clothes. Launder before reuse. Remove this material from your shoes and clean personal protective equipment.

Comments: Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

Consider periodic medical exams of exposed workers with emphasis on skin, respiratory, and blood screening.

Thermal hazards: None established.

SECTION 9: Physical and chemical properties

Appearance (physical state, color, etc.):	Granular solid
Color:	Light pink.
Odor:	No odor.
Odor threshold:	Not established
pH:	6.5 (450g/L) at 20 °C
Melting point/freezing point:	450 °C
Initial Boiling Point and boiling range:	No data available
Flash point:	No data available
Evaporation rate:	No data available
Flammability (solid, gas):	Not flammable
Upper/lower flammability or explosive limits	
Flammability limit – lower (%):	No data available
Flammability limit – upper (%):	No data available
Explosive limit – lower (%):	No data available
Explosive limit – upper (%):	No data available
Vapor pressure:	No data available
Vapor density (air=1):	No data available
Relative density (water = 1):	No data available
Solubility(ies):	Partially Soluble
Partition coefficient n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	850 °C
Viscosity:	No data available
Density:	2.95 g/cm ³

SECTION 10: Stability and Reactivity

Reactivity:	The product is non-reactive under normal conditions of use, storage and transport..
--------------------	---

Chemical stability: This product is stable at room temperature in closed containers under normal storage and handling conditions.

Possibility of hazardous reactions: Under fire conditions, hazardous fumes will be present.

Conditions to avoid: Avoid moisture.

Incompatible materials: Reacts with oxidizers such as H₂O₂, F₂, Ca(OCL)₂ and organic peroxides.

Hazardous decomposition products: Under fire conditions, hazardous fumes will be present.

SECTION 11: Toxicological information

Information on likely routes of exposure:

Inhalation: Inhalation is the most significant route of exposure in occupational and other settings. May be harmful if inhaled. May cause respiratory tract irritation.

Ingestion: An expected route of entry. Ingestion may cause stomach upset. Harmful if swallowed. Danger of serious damage to health.

Skin: An expected route of entry. May cause skin irritation.

Eyes: Not a primary route of entry but causes serious irritation.

Target Organ(s): Eyes, Skin, Respiratory system, Central nervous system.

Symptoms related to the physical, chemical, and toxicological characteristics:

Occasional mild irritation effects to the nose and throat may occur from inhalation. The pulmonary effects consisting of dyspnea, shallow respiration and fever which mimic metal fume fever. Skin and eye irritation may occur. Stomach upset may occur.

Delayed and immediate effects and chronic effects from short or long-term exposure:

Central Nervous System: Symptoms may appear after 1-2 years of elevated exposure. Stage 1 – subclinical reversible. Indifference irritability, headache, anorexia, sleep disturbances, decreased libido, arthralgia, muscular spasm, diminished fine motor coordination, emotional and behavioral disorders called “manganic psychosis” are more frequently seen among miners at this stage. Higher incidence of respiratory infection and pneumonia is seen in persons with a history of alcoholism, psychiatric, neurologic, or pulmonary diseases, liver dysfunction, or anemia.

Numerical measures of toxicity:

Acute toxicity estimates:

Ingredient Information:

Substance	Test Type (species)	Value
Manganese sulfate monohydrate	LD ₅₀ Oral	2150 mg/kg
	LD ₅₀ Dermal	No known data
	LC ₅₀ Inhalation	No known data

Skin corrosion/irritation:	May cause skin irritation. pH: 6.5 (450g/L) at 20°C
Serious eye damage/eye irritation:	Causes serious eye irritation. pH: 6.5 (450g/L) at 20°C
Respiratory sensitization:	No information available on the mixture, however none of the components have been classified as a respiratory sensitizer (or are below the concentration threshold for classification).
Skin sensitization:	No information available on the mixture, however none of the components have been classified as a skin sensitizer (or are below the concentration threshold for classification).
Germ cell mutagenicity:	No information available on the mixture, however none of the components have been classified as causing germ cell mutagenicity (or are below the concentration threshold for classification).
Carcinogenicity:	No information available on the mixture, however none of the components are listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA.
Reproductive toxicity:	No information available on the mixture, however none of the components have been classified as causing reproductive toxicity (or are below the concentration threshold for classification).
Specific target organ toxicity- Single exposure:	May cause damage to organs through prolonged or repeated exposure
Specific target organ toxicity- Repeat exposure:	No information available on the mixture, however Manganese Sulfate is known to cause Central nervous system effects after repeated exposure.
Aspiration hazard:	No information available on the mixture, however none of the components have been classified as causing an aspiration hazard (or are below the concentration threshold for classification).

SECTION 12: Ecological information

Ecotoxicity (aquatic and terrestrial, where available): Toxic to aquatic life with long lasting effects.

Ingredient Information:

Substance	Test Type	Species	Value
Manganese sulfate monohydrate	LC ₅₀	Fish	14.5 mg/l
	EC ₅₀	Daphnia 1	9.8 mg/l
	EC ₅₀	Daphnia 2	5.7 mg/l
	EC ₅₀	Algae	No data available

Persistence and Degradability: Not determined
Bioaccumulative Potential: Not applicable.
Mobility in Soil: Not applicable.
Other adverse effects (such as hazardous to the ozone layer): No additional information available.

SECTION 13: Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging:

Product - Contact your supplier or a licensed contractor for detailed recommendations. Follow applicable Federal, state, and local regulations. This product has been evaluated for RCRA characteristics and should not meet the criteria of a hazardous waste if discarded in its purchased form. Under RCRA, it is the responsibility of the user of the product to determine at the time of disposal, whether the product meets RCRA criteria for hazardous waste. This is because product uses, transformations, mixtures, processes, etc., may render the resulting materials hazardous.

Contaminated packaging - Contaminated packaging may contain residues of product. Dispose of in the same manner as product. Comply with applicable local, state or international regulations concerning solid or hazardous waste disposal and/or container disposal.

SECTION 14: Transport Information

Land transport DOT

Not Regulated

Maritime transport IMDG

UN number	UN 3077
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Manganese Sulfate monohydrate)
Transport hazard class(es)	9 - Miscellaneous dangerous substances and articles
Packing group, if necessary	III - substances presenting low danger

Air transport ICAO-TI and IATA-DGR

UN number	UN 3077
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Manganese Sulfate monohydrate)
Transport hazard class(es)	9 - Miscellaneous Dangerous Goods
Packing group, if necessary	III – Minor Danger

Environmental hazards

Marine pollutant: Yes.

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)

No further relevant information available.

Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises.

None.

SECTION 15: Regulatory Information

Safety, health and environmental regulations specific for the product in question.

USA:

United States Federal Regulations: This SDS complies with the OSHA, 29 CFR 1910.1200. This product is hazardous under OSHA.

Toxic Substances Control Act (TSCA) – Not regulated

SARA Title III

Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A): Not regulated

Section 311/312 (40 CFR 370):

Acute Health Hazard: No

Chronic Health Hazard: No

Fire Hazard: No

Pressure Hazard: No

Reactivity Hazard: No

Section 313 Toxic Release Inventory (40 CFR 372): Manganese sulfate monohydrate

STATE REGULATIONS:

This SD'S contains specific health and safety data is applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

California Proposition 65 (California Safe Drinking Water and Toxic Enforcement Act of 1986): WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Manganese Sulfate, monohydrate (CAS 10034-96-5)

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Manganese Sulfate, monohydrate (CAS 10034-96-5)

SECTION 16: Other information, including date of preparation or last revision

Revision Date: June 13, 2022

NFPA Rating

Health hazard: 1

Fire Hazard: 0

Reactivity Hazard: 0

This document is generated for the purpose of distributing health, safety, and environmental data. Information is correct to the best of our knowledge at the date of SDS publication. It is not a specification sheet nor should any displayed data be construed as a specification. The information on this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, expressed or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE, OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH HANDLING, STORAGE, USE, OR DISPOSAL OF THIS PRODUCT. If the product is used as a component in another product, this SDS information may not be applicable.